2014 Consumer Confidence Report

Water System Name:	North Yuba Water District	Report Date: 5/7/2015
U	1 20 2 1	red by state and federal regulations. This report shows per 31, 2014 and may include earlier monitoring data.
Este informe contiene entienda bien.	información muy importante sobre su a	agua potable. Tradúzcalo ó hable con alguien que lo
Type of water source(s)) in use:Surface Water (streams/reservo	irs).
Name & general location	on of source(s): South Fork of Feather R	iver. Lost, Sly, Slate and Oroleve Creeks and

tributaries. Upper Forbestown Canal (transverse flow). Little Grass Valley, Sly Creek, and Lost Creek Reservoirs.

Drinking Water Source Assessment information: The source serving North Yuba Water District is the Forbestown Water Treatment Plant intake: Active and historic mining operations, high density septic systems. Assessment may be viewed at North Yuba Water District, 8691 La Porte Rd. Brownsville Ca. 95919. Attention: Jeffrey Maupin, General Manager (530) 675-2567

Time and place of regularly scheduled board meetings for public participation: Fourth Thursday of each month at 5:00 p.m. at the District Office – 8691 La Porte Rd. Brownsville Ca. 95919

For more information, contact: North Yuba Water District Office Phone: (530) 675-2567

Goal

TERMS USED IN THIS REPORT

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

Public Health Goal (PHG): The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level

Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

ND: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter $(\mu g/L)$

(MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to	ppt : parts per trillion or nanograms per liter (ng/L)
health. MRDLGs do not reflect the benefits of the use	ppq : parts per quadrillion or picogram per liter (pg/L)
of disinfectants to control microbial contaminants.	pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- *Radioactive contaminants*, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 – SAMPLING RESULTS SHOWING THE DETECTION OF COLIFORM BACTERIA								
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation		MCL		MCLG	Typical Source of Bacteria	
Total Coliform Bacteria	(In a mo.) <u>0</u>			More than 1 sample in a month with a detection		0	Naturally present in the environment	
Fecal Coliform or <i>E. coli</i>	(In the year) <u>0</u>	0 A r rep tot sar		A routine sample and a repeat sample detect total coliform and either sample also detects fecal coliform or <i>E. coli</i>		0	Human and animal fecal waste	
TABLE 2	- SAMPLIN	IG RESUL	.TS SHOW	/ING THE I	DETECTIO	ON OF LEA	D AND COPPER	
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collected	90 th percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant	
Lead (ppb)	2012	10	3.7	NONE	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits	
Copper (ppm)	2012	10	.202	NONE	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from	

._____

						wood preservatives
	TABLE 3	8 – SAMPLING R	RESULTS FOR	SODIUM A	AND HARD	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	2015	1.7		none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	2007	18		none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
Any violation of an MCL or A	L is asteriske	ed. Additional inform	nation regarding	the violation i	is provided late	er in this report.
TABLE 4 – DET	ECTION (OF CONTAMINA	NTS WITH A	PRIMARY	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Arsenic (ppb)	2011	0		10	10	Erosion of natural deposits, runoff from orchards, glass and electronics production wastes.
Barium (ppm)	2013	0		1	1	Erosion of natural deposits, industrial waste discharges.
Cadmium (ppb)	2013	0		5	5	Waste discharges from electroplating, metallurgy, galvanized pipe fittings.
Chlorine (ppm)	2014	.70	.4093	4	4	Drinking water disinfectant added for treatment.
Chromium	2013	0		50	50	Erosion from natural deposits.
Haloacetic Acids (HAA5) (ppb)	2014	14.58	8.3-26	60	60	By-Product of drinking water disinfection.
Nickel (ppb)	2014	0		10	10	Erosion of natural deposits, discharge from metal factories.
Nitrate (as NO3) (ppm)	2014	0		45	45	Runoff from fertilizers, septic/sewer systems, erosions from natural deposits.
Nitrite (as N) (ppm)	2012	.05		1	1	Runoff from fertilizers, septic systems, erosion from natural deposits.
Perchlorate (ppb)	2012	0		6	6	By-product of the production of rocket fuel.
Selenium	2013	0		50	50	Erosion of natural deposits, runoff from mines, discharge from petroleum and metal production.
Radium 228 (pCi/l)	2012	0		5	5	Erosion/decay from natural deposits of Uranium.
Total Trihalomethanes (TTHM) (ppb)	2014	27.75	17-41	80	80	By-Product of drinking water disinfection.
Turbidity	2014	.288	.025288	TT=1		Soil Runoff.
TABLE 5 – DETE	CTION OF	F CONTAMINAN	NTS WITH A <u>S</u>	ECONDAR	<u>Y</u> DRINKIN	G WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Chloride (ppm)	2012	1.3		250		Road de-icing, erosion of natural deposits, human/animal waste

						Disposal, water softener discharge.
Iron (ppb)	2013	131		300	300	Erosion of natural deposits.
Manganese (ppb)	2013	53		50	50	Erosion of natural deposits.
Sulfate (ppm)	2012	.7		250		Erosion of natural deposits.
Total Dissolved Solids (ppm)	2013	26		500	500	Erosion of natural deposits.
(ppm)						
	TABLE	6 – DETECTION	N OF UNREGUI	ATED CO	DNTAMINA	NTS
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level		Health Effects Language

*Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

Additional General Information on Drinking Water

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. North Yuba Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT							
Violation	Explanation	Duration	Actions Taken to Correct	Health Effects			

	the Violation	Language

For Water Systems Providing Ground Water as a Source of Drinking Water

TABLE 7 – SAMPLING RESULTS SHOWING FECAL INDICATOR-POSITIVE GROUND WATER SOURCE SAMPLES							
Microbiological Contaminants (complete if fecal-indicator detected) Total No. of Detections Sample Dates MCL [MRDL] PHG (MCLG) Typical Source of Contamination							
E. coli	(In the year) 0		0	(0)	Human and animal fecal waste		
Enterococci	(In the year) 0		TT	n/a	Human and animal fecal waste		
Coliphage	(In the year) 0		TT	n/a	Human and animal fecal waste		

Summary Information for Fecal Indicator-Positive Ground Water Source Samples, Uncorrected Significant Deficiencies, or Ground Water TT

SPECIAL	NOTICE OF FECAL IND	DICATOR-POSITIVE	GROUND WATER SOURCE S	SAMPLE
	SPECIAL NOTICE FOR	UNCORRECTED SIG	NIFICANT DEFICIENCIES	
	VIOLA	TION OF GROUND W	ATER TT	
TT Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language

For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES

Treatment Technique ^(a) (Type of approved filtration technology used)	Absorption Clarifier and Mixed Media Filtration				
	Turbidity of the filtered water must:				
Turbidity Performance Standards ^(b)	1 – Be less than or equal to3 NTU in 95% of measurements in a month.				
(that must be met through the water treatment process)	2 – Not exceed <u>1.0</u> NTU for more than eight consecutive hours.				
	3 – Not exceed5.0 NTU at any time.				
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	97.3%				
Highest single turbidity measurement during the year	.288 NTU				
Number of violations of any surface water treatment requirements	NONE				

(a) A required process intended to reduce the level of a contaminant in drinking water.

(b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

* Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.

Summary Information for Violation of a Surface Water TT

VIOLATION OF A SURFACE WATER TT						
Explanation	Actions Taken to Correct the Violation	Health Effects Language				
			Explanation Duration Actions Taken to Correct			

Summary Information for Operating Under a Variance or Exemption